International Application No PCT/GB2004/002386

TPC 7 G02F1/13357 G09G3/3	JECT MATTER 357 G09G3/34	A. CLASSIFICATION OF SUBJECT IPC 7 G02F1/13357
---------------------------	-----------------------------	--

According to International Patent Classification (IPC) or to both national classification and IPC

#### B. FIELDS SEARCHED

 $\frac{\text{Minimum documentation searched (classification system followed by classification symbols)}}{IPC~7~~G02F~~G09G~~F21V~~G02B}$ 

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, INSPEC, COMPENDEX

Category °	ENTS CONSIDERED TO BE RELEVANT  Citation of document, with indication, where appropriate, of the relevant passages	sages Relevant to claim No.		
Х	US 6 448 951 B1 (SAKAGUCHI YOSHITAMI ET AL) 10 September 2002 (2002-09-10) column 5 - column 7, line 2; figures 1-4	1-9		
X	KONGSLIE K F ET AL: "A SYNCHRONOUSLY STROBED BACKLIGHT FOR IMPROVED VIDEO-RATE STN PERFORMANCE" SID INTERNATIONAL SYMPOSIUM DIGEST OF TECHNICAL PAPERS. SAN JOSE, JUNE 14-16, 1994, vol. Vol. 25, 14 June 1994 (1994-06-14), pages 155-158, XP000439097 SANTA ANA, US page 157, left-hand column, paragraph 3; figure 5 page 156, left-hand column, last paragraph/	1-9		

X Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
"Special categories of cited documents:  "A" document defining the general state of the art which is not considered to be of particular relevance.  "E" earlier document but published on or after the international filing date.  "L" document which may throw doubts on priority claim(s) or which is dited to establish the publication date of another citation or other special reason (as specified).  "O" document referring to an oral disclosure, use, exhibition or other means.  "P" document published prior to the international filing date but later than the priority date claimed.	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention  "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone  "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.  "&" document member of the same patent family
Date of the actual completion of the international search  9 September 2004	Date of mailing of the international search report
Name and mailing address of the ISA  European Patent Office, P.B. 5818 Patentlaan 2  NL - 2280 HV Rijswijk  Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  Fax: (+31-70) 340-3016	Authorized officer Frank, W

International Application No
PCT/GB2004/002386

	TO THE CONTROL TO THE THE TWANT	PC17 dB20047 002300			
·	ation) DOCUMENTS CONSIDERED TO BE RELEVANT  Citation of document, with Indication, where appropriate, of the relevant passages	Relevant to claim No.			
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Tootalt to stain No.			
Х	WO 02/21042 A (KONINKL PHILIPS ELECTRONICS NV) 14 March 2002 (2002-03-14) page 7, line 26 - page 8, line 3; figures 7,8	1-9			
Α	WO 03/040616 A (MUTHU SUBRAMANIAN; SHIMIZU JEFFREY A (NL); VISSER HUGO M (NL); BRUNIN) 15 May 2003 (2003-05-15) the whole document	1-9			
Α	FISEKOVIC N ET AL: "SCANNING BACKLIGHT PARAMETERS FOR ACHIEVING THE BEST PICTURE QUALITY IN AM LCD" EURODISPLAY, XX, XX, 2002, pages 533-535,	9			
	XP009029345 the whole document	·			
•					
		·			

International application No.

PCT/GB2004/002386

## Box No. IV Text of the abstract (Continuation of item 5 of the first sheet)

An illuminator for a flat-panel display comprises a tapered slab waveguide (1) co-extensive with the display, a light source (2-4) arranged to inject light in--to an edge of the waveguide so that it emerges over the face of the waveguide, and means for scanning the light injected into the wedge so that different areas of the panel are illuminated in turn. Preferably the light source is a set of rows of LEDs, each row injecting light at a different range of angles so that it emerges over different areas of the waveguide 1.

International Application No PCT/GB2004/002386

Patent dooument cited in search report		Publication date		Patent family member(s)	Publication date
US 6448951	B1	10-09-2002	JP JP	3280307 B2 11337904 A	13-05-2002 10-12-1999
WO 0221042	A	14-03-2002	CN WO EP JP US	1395665 T 0221042 A1 1317641 A1 2004508587 T 2002030772 A1	05-02-2003 14-03-2002 11-06-2003 18-03-2004 14-03-2002
WO 03040616	A	15-05-2003	US EP WO TW	2003090605 A1 1446608 A1 03040616 A1 562975 B	15-05-2003 18-08-2004 15-05-2003 21-11-2003